

## Pre-Bid Responses

### Query Raised By: Qualitronics (Madrass) Private Limited

S.No	Page No.	Reference	Word	Correction	Remark	Bank Response
1	06	Section-1, 1.3-Elegibility Criteria Clause-ii, 5 <sup>th</sup> line from above.	6 Lacs	1 Crore	Increases no. of false vendors who are not OEM/Authorized Distributor. Purchaser should also ask for <b>Solvency certificate</b> (Avg-50Lac)	No Change
2	06	Section-1, 1.3-Elegibility Criteria Clause-iii, 10 <sup>th</sup> line.	3 lacs	20lacs	Increases no. of false vendors who didn't executed large projects. Purchaser should also ask for <b>ISO certification</b> of vendor	No Change
3	06	Section-1, 1.3-Elegibility Criteria Clause-iii, 12 <sup>th</sup> line.	6 lacs	40 lacs	Increases no. of false vendors who didn't executed large projects.	No Change
4	21	Section-6, 12 <sup>th</sup> line from below.	NVR	DVR	Purchaser Asked for DVR in this tender, NVR is not compatible it requires IP camera.	Suggestion accepted
5	25	Section-9, Clause-15 <sup>th</sup> , Turnover Table.	Year 2011-12 2011-12 2011-12	Year 2011-12 2012-13 2013-14	Ask for Last Three Year Audited Balance Sheet, Provisional Balance sheet can be asked if Not prepared for Last year.	Suggestion accepted
6	27	Technical Specification(Table) 4.1 - Fixed Dome Camera.	Sony, Samsung, Hikvision, Panasonic	Sony, Samsung, Hikvision, Panasonic <b>OR Equivalent</b>	Specific Brand Increases the rate of spares and total system, whether Same feature and warranty offered by equivalent brand.	Yes equivalent to specification mentioned in Tender document and minimum requirement is CE,FCC and UL Certification

7	28	Technical Specification(Table) 4.1- Fixed Dome Camera. Line- 2 to 7	Lense Ratio, Horizontal viewing angle, F-Number, Panning Range, Tilting Range, Swivel Rotation.	Focal Length, Horizontal viewing angle, F-number.	Rests of other features are not present in Fixed Dome Camera. Like- Panning, Tilting, Rotation, Ratio. etc.	It is a general inbuilt feature comes with every camera
8	28	Technical Specification(Table) 4.2 - Outdoor Fixed bullet Camera. Just below row.	Sony, Samsung, Hikvision, Panasonic	Sony, Samsung, Hikvision, Panasonic <b>OR</b> <b>Equivalent</b>	Specific Brand Increases the rate of spares and total system, whether Same feature and warranty offered by equivalent brand.	Yes equivalent to specification mentioned in Tender document and minimum requirement is CE,FCC and UL Certification
9	28	Technical Specification(Table) 4.2 - Outdoor Fixed bullet Camera. Row- 13	Focal length: 8mm and above.	Focal length: 3.5mm to above.		No change
10	28	Technical Specification(Table) 4.2 - Outdoor Fixed bullet Camera. Row- 16 to 20	PanningRange, Tilting Range, Swivel range,	These features are not present in outdoor bullet Camera.		It is a general inbuilt feature comes with every camera
11	28	Last Row. <b>Min. object Distance</b>	300mm	30 meter		No Change
12	29	IR Dome/Bullet cameras			No. of LEDs should be mentioned i.e. 24 & 48 for Dome IR & Bullet IR respectively	Minimum Distance IR Dome: 10-15 Meter & IR Bullet :30-50 Meter
13	29				TVL lines should be specified for all cameras individually	Minimum 600 TVL
14	29	Table.				Not required

		Charged couple device (CCD) for dome and bullet camera				
15	29	DVR	1 U case		The camera size mentioned is small; there can't be two slots for Hard Disk and DVD Writer.	No Change
16		DVR			Whether DVR are same company?	Yes

### **Pre –Bid Responses**

### **Query Raised by : ETCO**

<b>S.No</b>	<b>Page No.</b>	<b>Reference</b>	<b>Word</b>	<b>Correction</b>	<b>Remark</b>	<b>Bank Response</b>
1		Camera 7 DVR			Can we quote any other make camera mention in tender having CE,FCC and UL Certification	Yes equivalent to specification mentioned in Tender document and minimum requirement is CE,FCC and UL Certification